

Lamborghini Gallardo

Product List



DIMEX
JOTABULLS

Content

Wing Doors

Body Kits

Engine Compartment Parts

Spacers

Aluminum Wheels

Wheel Sets

Sports Suspension

Exhaust System

Sports Catalysts

Engine Tuning Complete Kits

Engine Tuning Single Components

Exhaust valves control unit

Carbon - Interior

Airbag-Steering Wheels

Sport Seats

Velour Carpets



Wing Doors

- The traditional Lamborghini door function, spectacular effect
- Modification possible in well equipped service facility


Specification	Order.-No.
Wing Door Conversion Kit	L.60.GAL.O1R
Assembly	L.60.GAL.O1M



Body Kit Carbon Super Light Weight

- All parts hand made from carbon fibre, manufactured after highest quality standards and characterized through exact fitting
- Sealed transparent and finished in high gloss polished or dull surfaces (color matching paint optional)
- Sportive, individual and fine looks, improved aerodynamics, specially increased down force

Specification	Order.-No.
Front Spoiler - 1 pc. for original front skirt	L.70.GAL.CO1S
Front Spoiler - 2 pcs. for original front skirt	L.70.GAL.CO2S
Assembly	L.70.GAL.O1M
Side Skirt Flaps 4-pcs. R+L	L.70.GAL.CO3S
Assembly	L.70.GAL.O3M
Side Air Intake Covers R+L	L.70.GAL.CO4S
Assembly	L.70.GAL.O4M
Upper Air Intakes Covers R+L (only for Coupé)	L.70.GAL.CO5S
Assembly	L.70.GAL.O5M
Roof Spoiler (in Preperation)	L.70.GAL.CO6S
Assembly	L.70.GAL.O6M
Rear Lower Spoiler (replacement for original, wtiouth Camera)	L.70.GAL.CO7S
Assembly	L.70.GAL.O7M
Rear Wing with Sideflaps only for Coupé	L.70.GALC.CO8S
Rear Wing with Sideflaps only for Spider	L.70.GALS.CO8S
Assembly	L.70.GAL.O8M
Rear Diffuser	L.70.GAL.CO9S
Assembly	L.70.GAL.O9M
Flood Light Cleaning Unit Covers R+L	L.70.GAL.C10S
Assembly	L.70.GAL.10M
Tail Light Covers R+L	L.70.GAL.C11S
Assembly	L.70.GAL.11M




Body Kit Epoxyd Composite

- Made from Carbon reinforced Epoxyd Composite, to be painted colour matching, manufactured after highest quality standards
- Sportive, individual and exclusive look
- Improved aerodynamics, specially increased down force

Specification	Order.-No.
Front Spoiler - 1 pc. for original front skirt	L.70.GAL.E01S
Front Spoiler - 2 pcs. for original front skirt	L.70.GAL.E02S
Assembly & Paintwork	L.70.GAL.O1LM
Side Skirt Flaps 4 pcs. R+L	L.70.GAL.E03S
Assembly & Paintwork	L.70.GAL.O3LM
Side Air Intake Covers 2 pcs R+L	L.70.GAL.E04S
Assembly & Paintwork	L.70.GAL.O4LM
Upper Air Intake Covers R+L (only for Coupé)	L.70.GAL.E05S
Assembly & Paintwork	L.70.GAL.O5LM
Roof Spoiler (in Preperation)	L.70.GAL.E06S
Assembly & Paintwork	L.70.GAL.O6LM
Lower Rear Wing	
(replacement for original, without Camera)	L.70.GAL.E07S
Assembly & Paintwork	L.70.GAL.O7LM
Rear Wing with Side Flaps only for Coupé	L.70.GALC.E08S
Rear Wing with Side Flaps only for Spider	L.70.GALS.E08S
Assembly & Paintwork	L.70.GAL.O8LM
Rear Diffuser	L.70.GAL.E09S
Assembly & Paintwork	L.70.GAL.O9LM
Tail Light Covers	L.70.GAL.E11S
Assembly & Paintwork	L.70.GAL.11LM
Headlight Protection Film	L.70.GAL.LS12T
Assembly	L.70.GAL.LS12M





Engine Compartment Parts

- All parts hand made from carbon fibre, manufactured after highest quality standards
- Sealed transparent and surface finished high gloss polished

Specification	Order.-No.
Cover for Engine Back Wall	L.24.GAL.CO1S
Assembly*	L.24.GAL.CO1M
Engine Bonnet Inside Cover	
without glass inlay	L.24.GAL.CO2S
with glass inlay	L.24.GAL.CO3S
Assembly*	L.24.GAL.CO2/3M
Side Wall Covers R+L	L.24.GAL.CO4S
Assembly*	L.24.GAL.CO4M
Exhaust Cover	L.24.GAL.CO5S
Assembly*	L.24.GAL.CO5M

* incl. disassembly of original parts



Spacers

- Strikingly attractive and sportive looks
- Highly improves general performance and handling, effectively fill out the wheel arch, providing wider appearance
- All spacer sets enclose 10 mounting bolts in OEM optic in silver or black



mm/Front	mm/Rear	mm/Axle	System	Order.-No.
11		22	1	L.12060697T
16		32	1	L.12060695T
	16	32	2	L.12060695T
	20	40	2	L.12060696T
Assembly / Axle	System 1			40.01M
Assembly / Axle	System 2			40.02M

System 1 The standard size (15 mm per wheel) is made of highly-strength aluminium and is protected with a special high quality anti-corrosion coating. This wheel spacer type is always delivered with longer wheel bolts in 10.9 steel quality. Please select silver or black bolts.

System 2 Special sizes (from 20 mm upwards per wheel) are made of highly-strength aluminium and are protected with a special high quality anti-corrosion coating. These spacers are to be fixed onto the hub with the additional screws.

Aluminum Wheels - Exclusive Wheel "Misano"

- Very light three piece 19" + 20" aluminum rim in silver, black and chrome
- Titanium screws and outer lips in polished high gloss stainless steel
- Effectively fill out the wheel arches providing a fuller and wider appearance
- Quality by made in Germany

Front Axle	Rear Axle	Order.-No.
Rim Silver		
8,5 x 19"		L.80.MIS.8519R
	11,0 x 20"	L.80.MIS.11019R
Rim Black		
8,5 x 19"		L.80.MISS.8519R
	11,0 x 20"	L.80.MISS.11020R
Rim Chrome		
8,5 x 19"		L.80.MISC.8519R
	11,0 x 20"	L.80.MISC.11020R

Wheel Sets

- In combination with Pirelli High Performance tyres
- Set of 4 complete wheels, fully assembled and balanced

Front Axle	Rear Axle	Order.-No.
Rim Silver		
8,5 x 19	11,0 x 20	
235/35 R 19	305/25 R 20	L.85.MIS.85110R28Q
Rim Black		
8,5 x 19	11,0 x 20	
235/35 R 19	305/25 R 20	L.85.MISS.85110R28Q
Rim Chrome		
8,5 x 19	11,0 x 20	
235/35 R 19	305/25 R 20	L.85.MISC.85110R28Q
Assembly / Vehicle		85.00M





Sports Suspension

- Distinctive increment of driving stability
- Improved handling with extremely high traction limits
- A Dimex exclusive development


Specification	Order.-No.
Sport Suspension Kit	
4 Sport Springs & 4 Sport Shock Absorbers	
Height adjustable form 15-25mm	L.15.GAL.O1T
Assembly incl. electronic suspension alignment	L.15.GAL.O1M



Exhaust System

- Handmade from stainless steel
- Power increment through substantial dynamic pressure reduction
- Irresistible sound
- Optimized heat diversion providing improved thermal engine conditions
- Weight reduction at ca. 15kg


Specification	Model	Order.-No.
Sports Exhaust System	up to 2006	L.20.GAL.O1S
	from 2006 + SE	L.20.GAL.O2S
Assembly		L.20.GAL.O0M



Sports Catalysts

- Increment of output
- Extremely heat resistant
- Forceful sound

Specification	Order.-No.
Metal Sport Catalysts	
2 pcs. 100 Cells	
in exchange	L.25.GAL.O1R
Catalyst Replacement Pipes	
2 pcs.	L.25.GAL.O2S
Assembly	L.25.GAL.O0M



Engine Tuning Complete Kits

• For Gallardo up to model 2005

Nominal Output *	Modification	Order.-No.
Step 1		
393,5 KW/535 PS Increment: 25,7 KW/35 PS	Modifikation of motronic (ECU), carbon airbox with sport air filters, stainless steel sport exhaust system	L.50.GAL.10S
Assembly		L.50.GAL.01M
Step 2		
400,8 KW/545 PS Increment: 33,1 KW/45 PS	Modifikation of motronic (ECU), carbon airbox with sport air filters, stainless steel sports exhaust system, 2x200 cell sports metal catalyts	L.50.GAL.K11S
	Option with Ctalsyst Replacement Pipes	L.50.GAL.E02S
Assembly		L.50.GAL.02M
Step 3		
408,2 KW/555 PS Increment: 40,4 KW/55 PS	Modifikation of motronic (ECU), carbon airbox with sport air filters, stainless steel sports exhaust system, 2x200 cell sports metal catalyts, patented fuel cooling system	L.50.GAL.K12S
	Option with Ctalsyst Replacement Pipes	L.50.GAL.E03S
Assembly		L.50.GAL.03M
Step 4		
445 KW/605 PS Increment: 75 KW/105 PS	Modifikation of motronic (ECU), carbon airbox with sports air filters, stainless steel sports exhaust system, 2x200 cell sports metal catalyts, patented fuel cooling system, high flow canal optimized and polished cylinder head, modified valves, ball polished connection rods, sports cam shaft, optimized intake manifold, weight reduced crank shaft, optimized manifold	L.50.GAL.K13S
	Option with Ctalsyst Replacement Pipes	L.50.GAL.E04S
Assembly		L.50.GAL.04M

* Prerequisite is availability of full nominal output of 368 KW / 500 PS in base vehicle





Engine Tuning Complete Kits

• For Gallardo from model 2006 & Gallardo SE

Nominal Output*	Modification	Order.-No.
Step 1		
404,5 KW/550 PS <i>Increment: 22 KW/30 PS</i>	Modifikation of motronic (ECU), carbon airbox with sport air filters, stainless steel sport exhaust system	L.50.GAL.21S
Assembly		L.50.GAL.O1M
Step 2		
411,8 KW/560 PS <i>Increment: 29,4 KW/40 PS</i>	Modifikation of motronic (ECU), carbon airbox with sport air filters, stainless steel sports exhaust system, 2x200 cell sports metal catalyts	L.50.GAL.K22S
Option with Ctalsyst Replacement Pipes		L.50.GAL.E22S
Assembly		L.50.GAL.O2M
Step 3		
415,5 KW/565 PS <i>Increment: 33,1 KW/45 PS</i>	Modifikation of motronic (ECU), carbon airbox with sport air filters, stainless steel sports exhaust system, 2x200 cell sports metal catalyts, patented fuel cooling system	L.50.GAL.K23S
Option with Ctalsyst Replacement Pipes		L.50.GAL.E23S
Assembly		L.50.GAL.O3M
Step 4		
448,6 KW/610 PS <i>Increment: 66,1 KW/90 PS</i>	Modifikation of motronic (ECU), carbon airbox with sport air filters, stainless steel sports exhaust system, 2x200 cell sports metal catalyts, patented fuel cooling system, high flow canal optimized and polished cylinder head, modified valves, ball polished connection rods, sport cam shaft, optimized intake manifold, weight reduced crank shaft, optimized manifold	L.50.GAL.K24S
Option with Ctalsyst Replacement Pipes		L.50.GAL.E24S
Assembly		L.50.GAL.O4M

* Prerequisite is availability of full nominal output of 382 KW / 520 PS in base vehicle



Engine Tuning Single Components

- Für Gallardo & Gallardo SE

Specification	Order.-No.
Modification of Motronic (ECU)	
Output Increment of approx. 18 kW / 25 PS	
Max RPM higher for approx. 300 U/min	L.50.GAL.01R
Assembly	L.50.GAL.10M
F1 Gearbox performance	
increased shift times (faster) for F1 gearbox	
modification GCU	L.50.GAL.05R
Assembly	L.50.GAL.14M
Patented Fuel Cooling System	
only possible with modification of Motronic	
Output Increment of approx. 9 kW / 12 PS*	
(* with hot/warm engine)	L.50.GAL.02S
Assembly incl. air condition refill	L.50.GAL.11M
Carbon-Airbox with Sport Air Filters	
Output Increment of approx. 8 kW/11 PS	L.50.GAL.03R
Assembly	L.50.GAL.12M
Sport Air Filters	
2 pcs. for original air filter housing	
Output Increment of approx. 2,9 kW/4 PS	L.50.GAL.04R
Assembly	L.50.GAL.13M

Exhaust valves control unit, remote controlled

- very compact control unit with small remote control
- easy plug and play installation by original plugs

Specification	Order.-No.
control unit with remote control	L.28.GAL.01R
Assembly	L.28.GAL.01M





Carbon Interior

- Black or Silver Carbon, finished in high gloss polish, or dull surface
- Various colours are available upon request (Red, Blue, Yellow etc. / Surcharge of 30 % will apply)

Specification	Order.-No.
---------------	------------

8-pcs. Interior Set*

*in parts exchange

- Instrument Carrier Cover
- Additional Gauges Cover
- Door Handles
- Gear Box Console Cover
- Hand Brake Console Cover

L.92.GAL.01S

Assembly

L.92.GAL.01M

Door Sills

L.92.GAL.05S

Assembly

L.92.GAL.05M

Other parts and special orders available upon request



Airbag Sport Steering Wheels

- Direct Steering, increased control and response
- Airbags in OEM Quality (original parts)

Specification	Diametre	Order.-No.
---------------	----------	------------

Original Steering Wheel* with Carbon Inlays

Ø 365 mm

in combination with

Leather

L.94.GAL.L36R

Suede

L.94.GAL.WL36R

Material mix Leather / Suede

L.94.GAL.M36R

* Only in parts exchange with original

Dimex Sport Steering Wheel

Leather

Ø 340 mm

L.94.GAL.L34R

Leather

with Carbon

Ø 340 mm

L.94.GAL.LC34R

Leather

Ø 320 mm

L.94.GAL.L32R

Leather

with perforated grip area

Ø 320 mm

L.94.GAL.LP32R

Assembly

L.94.GAL.OOM



Sports Seats



- Premium **RECARO** Quality
- Excellent Seating Position
- With Dimex Emblem upon request
- Covers in Leather, Alcantara or Leather/Alcantara material mix

Specification	Order.-No.
Leather	L.90.GAL.LE1R
Leather 2 tone	L.90.GAL.LE2R
Alcantara 1 or 2 tone	L.90.GAL.ALR
Special Sticking	L.90.GAL.SPZP
Miura Corse Special Console	L.90.GAL.KONP
Assembly	L.90.00.02M

Velours Carpets

- Finest handcrafted velour quality
- Tasteful finish with piping in nubuk leather
- With Dimex emblem
- Anti slip backsides

Base Colour	Piping Colour	Order.-No.
Matching Interior Colour	As base colour or special order	L.95.GAL.O1V



Order Fax

- Fill in page in capital letters and please sign on bottom field
- Cut out on dotted line
- Send per Fax to Dimex +49 (611) 505606-99

<i>Specification / Product</i>	<i>Qty.</i>	<i>Order.-No.</i>	<i>Price EUR incl. VAT.</i>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Total Order Value

Notes, Remarks or Special Orders

Place, Date

Signature



Dimex Automotive Group
Fritz-Haber-Strasse 3
D-65203 Wiesbaden
Germany

Tel +49 (611) 505606-0
Fax +49 (611) 505606-99
Mail info@dimex-group.com
Net www.dimex-group.com

Validity: July 2008

