

Product List

3200 GT

4200 GT

Spyder

Leonardo 



LeoNardo Productlist

Maserati 3200 Coupé

Maserati 4200 GT

Maserati 4200 Spyder

Content

Aerodynamic

Frontgrill

Spacers

Aluminium Wheels

Wheel Sets

Sport Springs

Sports Brake System

Brake Performance Components

Engine Tuning Complete Kits

Engine Tuning Single Components

Sports Exhaust

Interior

Velour Carpets

Aerodynamic

Made from Carbon reinforced Epoxyd Composite, to be painted colour matching
 Manufactured after highest quality standards and characterized through exact fitting
 Only 15 % more weight than pure carbon fibre

Specification	Model	Order-No.
Frontspoilerlip Assembly & Paintwork	4200 GT / Spyder	M.70.42.01S M.70.42.M

Front grill

Front grill in chrome (only to Model 2004, not for Grand Sport)
 Sporty and dynamic optic
 Manufacture after highest quality standards, exact fitting

Specification	Model	Order-No.
Front grill Chrome Assembly	4200 GT / Spyder 3200 GT	M.75.32/42.01T M.75.32/42.M
Assembly prices include disassembly of existing parts.		

Spacers

Improves general performance and handling
 Fill out wheel arch, fuller and wider appearance
 Type-approved by German TÜV
 Quality made in Germany



mm / Wheel Front Axle	mm / Wheel Rear Axle	mm / Axle	System	Order-No.
15		30	1	M.40.027T
	15	30	1	M.40.027T
	15*	30	1	M.40.027LT
	20	40	2	M.40.175T

* only for Rear Axle 3200 GT - wheel screws with longer heads

Assembly / Axle System 1	40.01M
Assembly / Axle System 2	40.02M

System 1: The standard size (15 mm per wheel) is made of highly-strength aluminium and is predicted with a special high quality anticorrosion coating. This wheel spacer type is always delivered with a longer wheel bolt of 10.9 steel quality.

System 2: Special sizes (from 20 mm upwards per wheel) are made of highly-strength aluminium and are protected with a special highquality anticorrosion coating. These spacers are to be fixed onto the hub with the added screws.

 **LeoNardo Exclusive Wheel "Challenge III"**

*Very light three pieces 18", 19" & 20" aluminium rim finished in sterling silver
Titanium screws and outer lips in polished high gloss stainless steel
Effectively fill out the wheel arches giving a fuller and wider appearance
Quality made in Germany*



<i>Front Axle</i>	<i>Rear Axle</i>	<i>Order-No.</i>
8,5 x 18	10,0 x 18	M.80.CH.08518S
	10,5 x 18	M.80.CH.10018S
		M.80.CH.10518S
8,5 x 19	10,0 x 19	M.80.CH.08519S
	10,5 x 19	M.80.CH.10019S
	11,0 x 19	M.80.CH.10519S
		M.80.CH.11019S
8,5 x 20		M.80.CH.08520S
		M.80.CH.09020S
9,0 x 20	10,0 x 20	M.80.CH.10020S
	11,0 x 20	M.80.CH.11020S

Wheel Sets (In combination with Pirelli or Michelin high performance tyres, Completely assembled and balanced)

8,5 x 18 235/40 R 18	10,0 x 18 265/35 R 18	M.85.CH.85100R60R
8,5 x 18 235/40 R 18	10,5 x 18 285/30 R 18	M.85.CH.85105R61R
8,5 x 19 235/35 R 19	10,0 x 19 275/30 R 19	M.85.CH.85100R62R
8,5 x 19 235/35 R 19	10,5 x 19 315/25 R 19	M.85.CH.85105R63R
8,5 x 19 235/35 R 19	11,0 x 19 315/25 R 19	M.85.CH.85110R65R
8,5 x 20 235/30 R 20	10,0 x 20 285/25 R 20	M.85.CH.85100R66R
9,0 x 20 245/30 R 20	11,0 x 20 295/25 R 20	M.85.CH.90110R67R
<i>Assembly per vehicle</i>		85.00M

LeoNardo Exclusive Wheel "Challenge II"

Light 2 pc. 19" & 20" aluminium rim finished in sterling silver
Outer lips in polished high gloss stainless steel, centres paintable
Effectively fill out the wheel arches providing wider appearance
Quality made in Germany



Front Axle	Rear Axle	Order-No.
8,5 x 19	9,5 x 19	M.80.CH2.08519S M.80.CH2.09519S
8,5 x 20	10,0 x 20	M.80.CH2.08520S M.80.CH2.10020S
9,0 x 20	11,0 x 20	M.80.CH2.09020S M.80.CH2.11020S

Wheel Sets (In combination with Pirelli or Michelin high performance tyres, Completely assembled and balanced)

8,5 x 19 235/35 R 19	9,5 x 19 275/30 R 19	M.85.CH2.8595R60R
8,5 x 20 235/30 R 20	10,0 x 20 285/25 R 20	M.85.CH2.85100R60R
9,0 x 20 245/30 R 20	11,0 x 20 285/25 R 20	M.85.CH2.90110R61R
<i>Assembly per vehicle</i>		85.00M

LeoNardo Exclusive Wheel "Mistral III"

Very light three piece 19" aluminium rim finished in sterling silver
Titanium screws and outer lips in polished high gloss stainless steel
Effectively fill out the wheel arches giving a fuller and wider appearance
Quality made in Germany



Front Axle	Rear Axle	Order-No.
8,5 x 19	10,0 x 19	M.80.MI3.08519S
	10,5 x 19	M.80.MI3.10019S
	10,5 x 19	M.80.MI3.10519S
	11,0 x 19	M.80.MI3.11019S

Wheel Sets (In combination with Pirelli or Michelin high performance tyres, Completely assembled and balanced)

8,5 x 19 235/35 R 19	10,0 x 19 275/30 R 19	M.85.MI3.85100R62R
8,5 x 19 235/35 R 19	10,5 x 19 315/25 R 19	M.85.MI3.85105R63R
8,5 x 19 235/35 R 19	11,0 x 19 315/25 R 19	M.85.MI3.85110R65R
<i>Assembly per vehicle</i>		85.00M

 **LeoNardo Exclusive Wheel "Mistral II"**

*Light two pc. 18", 19" & 20" aluminium rim finished in sterling silver
Outer lips in polished high gloss stainless steel
Effectively fill out the wheel arches
Quality made in Germany*



<i>Front Axle</i>	<i>Rear Axle</i>	<i>Order-No.</i>
8,5 x 18	9,5 x 18	M.80.MI2.08518S M.80.MI2.09518S
8,5 x 19	9,5 x 19	M.80.MI2.08519S M.80.MI2.09519S
8,5 x 20 9,0 x 20		M.80.MI2.08520S M.80.MI2.09020S
	10,0 x 20 11,0 x 20	M.80.MI2.10020S M.80.MI2.11020S

Wheel Sets (In combination with Pirelli or Michelin high performance tyres, Completely assembled and balanced)

8,5 x 18 235/40 R 18	9,5 x 18 265/35 R 18	M.85.MI2.8595R60R
8,5 x 19 235/35 R 19	9,5 x 19 275/30 R 19	M.85.MI2.8595R62R
8,5 x 20 235/30 R 20	10,0 x 20 285/25 R 20	M.85.MI2.85100R63R
9,0 x 20 245/30 R 20	11,0 x 20 295/25 R 20	M.85.MI2.90110R64R
<i>Assembly per vehicle</i>		<i>85.00M</i>

 **LeoNardo Exclusive Wheel "Nardo II"**

*Light 2 pc. 19" aluminium rim finished in sterling silver
Titanium screws and outer lips in polished high gloss stainless steel
Effectively fill out the wheel arches giving a fuller and wider appearance
Quality made in Germany*



<i>Front Axle</i>	<i>Rear Axle</i>	<i>Order-No.</i>
8,5 x 19		M.80.NA2.08519S
	9,5 x 19	M.80.NA2.09519S

Wheel Sets (In combination with Pirelli or Michelin high performance tyres, Completely assembled and balanced)

8,5 x 19 235/35 R 19	9,5 x 19 275/30 R 19	M.85.NA2.8595R62R
<i>Assembly per vehicle</i>		85.00M

 **LeoNardo Exclusive Wheel "Fiorano II"**

*Light 2 pc. 20" aluminium rim finished in sterling silver
Outer lips in polished high gloss stainless steel
Effectively fill out the wheel arches giving a fuller and wider appearance
Quality made in Germany*




<i>Front Axle</i>	<i>Rear Axle</i>	<i>Order-No.</i>
8,5 x 20		M.80.F2.08520S
	10,0 x 20	M.80.F2.10020S
9,0 x 20		M.80.F2.09020S
	11,0 x 20	M.80.F2.11020S

Wheel Sets (In combination with Pirelli or Michelin high performance tyres, Completely assembled and balanced)

8,5 x 20 235/30 R 20	10,0 x 20 285/25 R 20	M.85.F2.85100R60R
9,0 x 20 245/30 R 20	11,0 x 20 295/25 R 20	M.85.F2.90110R61R
<i>Assembly per vehicle</i>		85.00M

 **Sport Springs**

*Sports Springssystem for front - and rear axle
Distinctive increment of driving stability
Improved handling with extremely high traction limits
A Leo Nardo exclusive development*



Model	lower setting	Design	Order-No.
3200 GT	VA 25mm	without Skyhook	M.10.32.01S
	HA 30mm	with Skyhook	M.10.32.S01S
4200 GT & Spyder	VA 35 mm	without Skyhook	M.10.42.01S
	HA 40 mm	with Skyhook	M.10.42.S01S
<i>Assembly incl. electronic suspension alignment</i>			<i>M.10.32/42.00M</i>

 **Suspension Kit**

*Distinctive increment of driving stability
Improved handling with extremely high traction limits
A Leo Nardo exclusive development*

Specification	Model	Order-No.
Suspension Kit	3200GT	M.15.32.01Q
	4200GT/ Spyder	M.15.42.01Q
4 Sports Springs & 4 Sports Shock Absorbers Height adjustable form 10-40mm		
<i>Assembly incl. electronic suspension alignment</i>		<i>M.15.32/42.01T</i>

 **Sport Brake System**

*Improved braking power, Race tested
High performance axially drilled brake disk, internally ventilated (VA 355 x 32 mm, HA 342 x 32 mm)
High performance - Calipers in 4 or 6 piston performance
Incl. Sport Brake Pads and Steel Flex Hoses for Front- and Rear Axle*



Specification	Order-No.
4 Piston Caliper for Front Axle	M.30.32/42.VAK4P
6 Piston Caliper for Front Axle recommended only in combination with bigger RA Piston Caliper	M.30.32/42.VAK6P
4 Piston Caliper for Rear Axle	M.30.32/42.HAK4P
Assembly FA incl. High Performance Brake Fluid	M.30.32/42.VAM
Assembly FA+ RA incl. High Performance Brake Fluid	M.30.32/42.HAM
1 Set Sport Brake Pads as compensation f. 6 Piston	M.30.32/42.01Q
1 Set Sport Brake Pads as compensation f. 4 Piston	M.30.32/42.02Q
Assembly per Axle	M.30.32/42.01M

 **Sport Brake Kit**

*For upgrade of original Brake
Highly improved braking power
Exact pressure sensitivity*



Specification	Order-No.
Sport Brake Pads for FA + RA Steel Flex Hoses for FA + RA Assembly incl. High Performance Brake Fluid	M.30.32/42.10T M.30.32/42.10M
1 Set Sport Brake Pads as a replacement for FA	M.30.32/42.V20T
1 Set Sport Brake Pads as a replacement for RA	M.30.32/42.H20T
Assembly per Axle	M.30.32/42.20M

Engine Tuning Complete Kits

For 3200 GT, prerequisite for output quotation is always the full availability of nominal stock power of 272KW / 370PS - Torque 491 Nm
Highest quality standards, durability tested on race track

Motor Increment	Modifikation	Order-No.
Step 1 - 305 kW / 415 PS Power Increment: 33 kW / 45 PS max. Torque 560 Nm max. RPM 6550 U/min <i>Assembly</i>	Sports exhaust system, modifikation of motronic (ECU), improved of the drive-by-wire- systems, sports air filter	M.50.32.01S M.50.32.01M
Step 2 - 316 kW / 430 PS Power Increment: 44 kW / 60 PS max. Torque 570 Nm max. RPM 6550 U/min <i>Assembly</i>	Sports exhaust system, modifikation of motronic (ECU), improved of the drive-by-wire- systems, sports air filter, larger induction manifolds made out of stainless steel,	M.50.32.02S M.50.32.02M
Step 3 - 331 kW / 450 PS Power Increment: 59 kW / 80 PS max. Torque 582 Nm max. RPM 6550 U/min <i>Assembly</i>	Sports exhaust system, modifikation of motronic (ECU), improved of the drive-by-wire- systems, larger induction manifolds made out of stainless steel, modifikation the valve times of the cam shafts, sports air filter	M.50.32.03S M.50.32.03M
Step 4 - 338 kW / 460 PS Power Increment: 66 kW / 90 PS max. Torque 585 Nm max. RPM 6550 U/min <i>Assembly</i>	as Step 3 additional with patented fuel cooling system	M.50.32.04S M.50.32.04M

Engine Tuning Single Components

For 3200 GT, prerequisite for output quotation is always the full availability of nominal stock power of 272KW / 370PS - Torque 491 Nm

Specification	Order-No.
Modifikation of motronic (ECU) Power Increment 26 kW / 35 PS Speed up about 300 U/min <i>Assembly</i>	M.50.32.10S M.50.32.10M
Fuel Cooling System Only in combination with ECU modification Power Increment 7,5 kW / 10 PS <i>Assembly</i>	M.50.32.11S M.50.32.11M
Sport Airfilters - 2 Pcs. Power Increment 3 kW / 5 PS <i>Assembly</i>	M.50.32.12T M.50.32.12M

Motortuning Komplett Kits

For 4200 GT, prerequisite for output quotation is always the full availability of nominal stock power of 282KW / 390PS - Torque 451 Nm
Highest quality standards, durability tested on race track

Motor Increment	Modifikation	Order-No.
Step 1 - 308 kW / 420 PS Power Increment: 22 kW / 30 PS max. Torque 475 Nm max. RPM 7400 U/min <i>Assembly</i>	Sports exhaust system, modifikation of motronic (ECU), sports air filter	M.50.42.01S M.50.42.01M
Step 2 - 316 kW / 430 PS Power Increment: 29 kW / 40 PS max. Torque 478 Nm max. RPM 7400 U/min <i>Assembly</i>	Sports exhaust system, modifikation of motronic (ECU), sports air filter, patented fuel cooling system	M.50.42.02S M.50.42.02M
Step 3 - 323 kW / 440 PS Power Increment: 36 kW / 50 PS max. Torque 485 Nm max. RPM 7400 U/min <i>Assembly</i>	Sports exhaust system, modifikation of motronic (ECU), sports air filter, patented fuel cooling system, modifikation the valve times of the cam shafts	M.50.42.03S M.50.42.03M
Step 4 - 382 kW / 520 PS Power Increment: 88 kW/120 PS max. Torque 650 Nm max. RPM 7600 U/min <i>Assembly</i>	Increase ccm up to 4,7 L., on high flow canal bench optimized cylinder head, ball polished connection rods, modified valves, weight reduced crank shaft, sports camshafts, sports exhaust system, modifikation of motronic (ECU), sports air filter, patented fuel cooling system	M.50.42.04S M.50.42.04M

Engine Tuning Single Components

For 4200 GT, prerequisite for output quotation is always the full availability of nominal stock power of 282KW / 390PS - Torque 451 Nm

Specification	Order-No.
Modifikation of motronic (ECU) Power Increment 15 kW / 20 PS Speed up about 400 U/min <i>Assembly</i>	M.50.42.10S M.50.42.10M
Fuel Cooling System Only in combination with ECU modification Power Increment 7,5 kW / 10 PS <i>Assembly</i>	M.50.42.11S M.50.42.11M
Sport Airfilter Power Increment 2 kW / 4 PS <i>Assembly</i>	M.50.42.12T M.50.42.12M

Motortuning Komplett Kits

*For Grad Sport, prerequisite for output quotation is always the full availability of nominal stock power of 294KW / 400PS - Torque 451 Nm
Highest quality standards, durability tested on race track*

Motor Increment	Modifikation	Order-No.
Step 1 - 316 kW / 430 PS Power Increment: 22 kW / 30 PS max. Torque 475 Nm max. RPM 7400 U/min <i>Assembly</i>	Sports exhaust system, modifikation of motronic (ECU), sports air filter	M.50.GS.01S M.50.GS.01M
Step 2 - 323 kW / 440 PS Power Increment: 29 kW / 40 PS max. Torque 478 Nm max. RPM 7400 U/min <i>Assembly</i>	Sports exhaust system, modifikation of motronic (ECU), sports air filter, patented fuel cooling system	M.50.GS.02S M.50.GS.02M
Step 3 - 330 kW / 450 PS Power Increment: 36 kW / 50 PS max. Torque 485 Nm max. RPM 7400 U/min <i>Assembly</i>	Sports exhaust system, modifikation of motronic (ECU), sports air filter, patented fuel cooling system, modifikation the valve times of the cam shafts	M.50.GS.03S M.50.GS.03M
Step 4 - 382 kW / 520 PS Power Increment: 88 kW/120 PS max. Torque 650 Nm max. RPM 7600 U/min <i>Assembly</i>	Increase ccm up to 4,7 L., on high flow canal bench optimized cylinder head, ball polished connection rods, modified valves, weight reduced crank shaft, sports camshafts, sports exhaust system, modifikation of motronic (ECU), sports air filter, patented fuel cooling system	M.50.GS.04S M.50.GS.04M

Engine Tuning Single Components

For Grand Sport, prerequisite for output quotation is always the full availability of nominal stock power of 294KW / 400PS - Torque 451 Nm

Specification	Order-No.
Modifikation of motronic (ECU) Power Increment 15 kW / 20 PS Speed up about 400 U/min <i>Assembly</i>	M.50.GS.10S M.50.GS.10M
Fuel Cooling System Only in combination with ECU modification Power Increment 7,5 kW / 10 PS <i>Assembly</i>	M.50.GS.11S M.50.GS.11M
Sport Airfilter Power Increment 2 kW / 4 PS <i>Assembly</i>	M.50.GS.12T M.50.GS.12M

Sport Exhaust

*Complete Sport Exhaust system up from Catalysts, left + right Handmade from stainless steel,
Increased performance about 8 PS by Power increment through substantial dynamic pressure reduction
Irresistible sound, optimized heat diversion providing improved thermal engine conditionse*



Model	Specification	Order-No.
3200 GT	1.) 2 x 2 Tail Pipes, round Ø 80 mm 2.) Tail Pipe left + right, flat – oval 150 x 70 mm	M.20.32.10S M.20.32.15S M.20.32.00M
<i>Assembly</i>		
4200 GT & Spyder	1.) 2 x 2 Tail Pipes left + right square rounded Ø 76 x 75 2.) Tail Pipe left + right, flat – oval 150 x 70 mm	M.20.42.10S M.20.42.15S M.20.42.00M
<i>Assembly</i>		

Aluminium Parts

*For individual and technical looks
High quality CNC production*



Specification	Order-No.
Alu-Pedalset for Automatic/Cambiorcorse <i>Assembly</i>	3200/4200/Spyder M.91.32.02 M.91.32.02M
Alu-Pedalset for Switchgear	3200/4200/Spyder M.91.32.03
Aluminium Perforated Footrest	3200 M.91.32.04
Aluminium Perforated Footrest <i>Assembly</i>	4200/Spyder M.91.42.04 M.91.32/42.04M

Velour Carpets

*Finest handcrafted velour quality with anti slip backside
Tasteful finish with piping in nubuk leather
Upon request fitted with Leo Nardo emblem*



Specification	Order-No.
Carpets Set	3200/4200 4 -pieces Spyder 2 -pieces M.95.32.01V M.95.42.01V

Airbag Sports Steering Wheels

*Substantially improved car control through direct feeling
More sportive looks*

Specification	Size	Order-No.
Leather	ø 320	M.94.00.L32R
Leather (perforated grip zone)	ø 320	M.94.00.LP32R
Surcharge Coloured Stitching		M.94.00.FN01R
Leather	ø 340	M.94.00.L34R
Leather / Aluminium	ø 340	M.94.00.A34R
Leather / Carbon	ø 340	M.94.00.C34R
Original Steering Wheel with Carbon Inlay Covers with new Leather (only in exchange)		M.94.00.OL01R
<i>Assembly</i>		M.94.00.00M
Surcharge Coloured Stitching		M.94.00.C34R

Sports Seats

*Ergonomic sport seat with various adjustment functions
With integrated headrest and seatbelt guidance (optional)
For original seat consoles*



Specification	Order-No.
Sport Leather uni, black or creme <i>Assembly</i>	M.90.SPOR.01R M.90.SPOR.01M
Comfort packet Leather uni, black or creme Surcharge for elec. height / oitch adjustment and Airmatik <i>Assembly</i>	M.90.SPOR.02P M.90.SPOR.02M
Luxus packet Leather uni, black or creme Surcharge for elec. seat back rest, seat heating / ventilation and perforated seat and back rest centres <i>Assembly</i>	M.90.SPOR.03P M.90.SPOR.03M
Surcharge for seatbelt guidance through Headrest	M.90.SPOR.04P
Surcharge for material mix Leather/Alcantara	M.90.MIX.01P
Surcharge for special Stitching of Seat Centers	M.90.DESIGN.01P

 **Interior**



Quality Interior Parts, in Carbon, Wood or Platinum
 Woodinterior on request in bird's eye maple wood anthracite or Rootwood (against extra charge)
 Finished in high gloss or semi gloss polish

All Parts on exchange against original parts

Specification	Modell	Material	Order-No.
Instrument carrier frame	3200/4200/Spyder	Carbon	M.92.32.CS01T
	3200/4200/Spyder	Carbon colored	M.92.32.CF01T
	3200/4200/Spyder	Wood	M.98.32.H01T
	3200/4200/Spyder	Platinum	M.99.32.P01T
<i>Assembly</i>			<i>M.96.32.01M</i>
Frame for center console instruments and switches	3200	Carbon	M.92.32.CS02T
	3200	Carbon colored	M.92.32.CF02T
	3200	Wood	M.98.32.H02T
	3200	Platinum	M.99.32.P02T
<i>Assembly</i>			<i>M.92.32.02M</i>
Frame for center console instruments and switches incl. hand brake grip	4200/Spyder	Carbon	M.92.42.CS02T
	4200/Spyder	Carbon colored	M.92.42.CF02T
	4200/Spyder	Wood	M.98.42.H02T
	4200/Spyder	Platinum	M.99.42.P02T
<i>Assembly</i>			<i>M.92.42.02M</i>
Main air vent on dashboard	3200/4200/Spyder	Carbon	M.92.32.CS03T
	3200/4200/Spyder	Carbon colored	M.92.32.CF03T
	3200/4200/Spyder	Wood	M.98.32.H03T
	3200/4200/Spyder	Platinum	M.99.32.P03T
<i>Assembly</i>			<i>M.92.32.03M</i>
Air vents 6 pcs.	3200/4200	Carbon	M.92.32.CS04T
	3200/4200	Carbon colored	M.92.32.CF04T
	3200/4200	Wood	M.98.32.H04T
	3200/4200	Platinum	M.99.32.P04T
<i>Assembly</i>			<i>M.92.32.04M</i>
Air vents 4 pcs.	Spyder	Carbon	M.92.SPY.CS04T
	Spyder	Carbon colored	M.92.SPY.CF04T
	Spyder	Wood	M.98.SPY.H04T
	Spyder	Platinum	M.99.SPY.P04T
<i>Assembly</i>			<i>M.92.SPY.04M</i>



Dimex Automotive Group
Fritz-Haber-Strasse 3
D-65203 Wiesbaden
Germany

Tel +49 (611) 505606-0
Fax +49 (611) 505606-99
Mail info@dimex-group.com
Net www.dimex-group.com

Terms and Conditions

All prices are plus shipping and packing. All goods are ex-warehouse and bills are to be settled by cash on delivery or paid in advance. All deliveries are subject to our General Business Conditions. With the publication of this list all previous lists become invalid. All mistakes reserved, prices and technical specifications can be changed. Duplication prohibited without written permit.

Validity: January 2007

© 2007. All Rights Reserved. Royal Excellence - Dimex Automotive Group