

Price List

Quattroporte

Leo Nardo 



LeoNardo Pricelist

Quattroporte

Content

Aerodynamic

Spacers

Aluminum Wheels and Sets

Sport Suspension Kit

Brake Performance Components

Sports Exhaust

Engine Tuning Complete Kits

Engine Tuning Single Components

Velour Carpets

 **Aerodynamik**

Made from Carbon reinforced Epoxyd Composite, to be painted colour matching
 Manufactured after highest quality standards and characterized through exact fitting
 Only 15 % more weight than carbon fibre

| Specification | Order-No. |
|---|---------------------------|
| Front Spoiler Lip Assembly & Paintwork | M.70.Q2.01 M.70.Q2.01M |
| Rear Diffuser Assembly | M.70.Q2.02 M.70.Q2.02M |
| Rear Skirt Assembly | M.70.Q2.03 M.70.Q2.03M |

Assembly prices include disassembly of existing parts.

 **Spacers**

Improves general performance and handling
 Fill out wheel arch, fuller and wider appearance
 Type-approved by German TÜV
 Quality made in Germany



| mm / Wheel Front Axle | mm / Wheel Rear Axle | mm / Axle | System | Order-No. |
|----------------------------------|---------------------------------|------------------|---------------|------------------|
| 11 | | 22 | 1 | M.40.0694T |
| 16 | | 32 | 1 | M.40.0692T |
| | 16 | 32 | 1 | M.40.0692T |
| | 20 | 40 | 2 | M.40.0691T |
| Assembly / Axle System 1 | | | | 40.01M |
| Assembly / Axle System 2 | | | | 40.02M |

System 1: The standard size (15 mm per wheel) is made of highly-strength alloy and is protected with a special high quality anti-corrosion coating. This wheel spacer type is always delivered with a longer wheel bolt of 10.9 steel quality and in OEM optic.

System 2: Special sizes (from 20 mm upwards per wheel) are made of highly-strength alloy and are protected with a special high-quality anti-corrosion coating. These spacers are to be fixed onto the hub with the added screws.

 **LeoNardo Exclusive Wheel “Challenge III”**

*Very light three piece 20” aluminum rim finished in sterling silver
Titanium screws and outer liHP in polished high gloss stainless steel
Effectively fill out the wheel arches giving a fuller and wider appearance
Quality made in Germany*



| <i>Front Axle</i> | <i>Rear Axle</i> | <i>Order-No.</i> |
|-------------------|------------------|------------------|
| 9,0 x 20 | | M.80.CH.09020S |
| | 10,5 x 20 | M.80.CH.10520S |

Wheel Sets *(In combination with Michelin or Pirelli high performance tyres, Completely assembled and balanced)*

| | | |
|-------------|-------------|-------------------|
| 9,0 x 20 | 10,5 x 20 | |
| 245/35 R 20 | 285/30 R 20 | M.85.CH.90105R22R |
| 255/35 R 20 | 285/30 R 20 | M.85.CH.90105R23R |

Assembly per vehicle 85.00M

 **LeoNardo Exclusive Wheel “Challenge II”**

*Light 2 pc. 20” aluminum rim finished in sterling silver
Outer liHP in polished high gloss stainless steel, centres paintable
Effectively fill out the wheel arches providing wider appearance
Quality made in Germany*



| <i>Front Axle</i> | <i>Rear Axle</i> | <i>Order-No.</i> |
|-------------------|------------------|------------------|
| 9,0 x 20 | | M.80.CH2.09020S |
| | 10,0 x 20 | M.80.CH2.10020S |

Wheel Sets *(In combination with Michelin or Pirelli high performance tyres, Completely assembled and balanced)*

| | | |
|-------------|-------------|--------------------|
| 9,0 x 20 | 10,0 x 20 | |
| 245/35 R 20 | 285/30 R 20 | M.85.CH2.90100R22R |
| 255/35 R 20 | 285/30 R 20 | M.85.CH2.90100R23R |

Assembly per vehicle 85.00M

 **LeoNardo Exclusive Wheel “Mistral III”**

Very light three piece 20" aluminum rim finished in sterling silver
 Titanium screws and outer liHP in polished high gloss stainless steel
 Effectively fill out the wheel arches giving a fuller and wider appearance
 Quality made in Germany



| <i>Front Axle</i> | <i>Rear Axle</i> | <i>Order-No.</i> |
|-------------------|------------------|------------------|
| 8,5 x 20 | | M.80.MI3.08520S |
| | 10,5 x 20 | M.80.MI3.10520S |

Wheel Sets (In combination with Michelin or Pirelli high performance tyres, Completely assembled and balanced)

| | | |
|-------------|-------------|--------------------|
| 8,5 x 20 | 10,5 x 20 | |
| 245/35 R 20 | 285/30 R 20 | M.85.MI3.85105R22R |
| 255/35 R 20 | 285/30 R 20 | M.85.MI3.85105R23R |

Assembly per vehicle 85.00M

 **LeoNardo Exclusive Wheel “Mistral II”**

Light two pc. 20" aluminum rim finished in sterling silver
 Outer liHP in polished high gloss stainless steel
 Effectively fill out the wheel arches
 Quality made in Germany



| <i>Front Axle</i> | <i>Rear Axle</i> | <i>Order-No.</i> |
|-------------------|------------------|------------------|
| 9,0 x 20 | | M.80.MI2.09020S |
| | 10,0 x 20 | M.80.MI2.10020S |

Wheel Sets (In combination with Michelin or Pirelli high performance tyres, Completely assembled and balanced)

| | | |
|-------------|-------------|--------------------|
| 9,0 x 20 | 10,0 x 20 | |
| 245/35 R 20 | 285/30 R 20 | M.85.MI2.90100R22R |
| 255/35 R 20 | 285/30 R 20 | M.85.MI2.90100R23R |

Assembly per vehicle 85.00M

 **LeoNardo Exclusive Wheel "Mistral I"**

1 pc. Aluminum rim in 20"
 Diamond polished lip, 3 pcs. design
 Effectively fill out the wheel arches
 Quality made in Germany



| <i>Front Axle</i> | <i>Rear Axle</i> | <i>Order-No.</i> |
|-------------------|------------------|------------------|
| 9,0 x 20 | | M.80.MI1.09020S |
| | 10,0 x 20 | M.80.MI1.10020S |

Wheel Sets (In combination with Michelin or Pirelli high performance tyres, Completely assembled and balanced)

| | | |
|-------------|-------------|--------------------|
| 9,0 x 20 | 10,0 x 20 | |
| 245/35 R 20 | 285/30 R 20 | M.85.MI1.90100R22R |
| 255/35 R 20 | 285/30 R 20 | M.85.MI1.90100R23R |

Assembly per vehicle 85.00M

 **LeoNardo Exclusive Wheel "Daytona I"**

1 pc. Aluminum rim in 20"
 Diamond polished lip, 3 pcs. design
 Effectively fill out the wheel arches
 Quality made in Germany



| <i>Front Axle</i> | <i>Rear Axle</i> | <i>Order-No.</i> |
|-------------------|------------------|------------------|
| 9,0 x 20 | | M.80.D.09020S |
| | 10,0 x 20 | M.80.D.10020S |

Wheel Sets (In combination with Michelin or Pirelli high performance tyres, Completely assembled and balanced)

| | | |
|-------------|-------------|------------------|
| 9,0 x 20 | 10,0 x 20 | |
| 245/35 R 20 | 285/30 R 20 | M.85.D.90100R22R |
| 255/35 R 20 | 285/30 R 20 | M.85.D.90100R23R |

Assembly per vehicle 85.00M

 **LeoNardo Exclusive Wheel “Fiorano II”**

Light 2 pc. 20“ aluminum rim finished in sterling silver
Outer liHP in polished high gloss stainless steel
Effectively fill out the wheel arches
Quality made in Germany



| <i>Front Axle</i> | <i>Rear Axle</i> | <i>Order-No.</i> |
|-------------------|------------------|------------------|
| 9,0 x 20 | | M.80.F2.09020S |
| | 10,0 x 20 | M.80.F2.10020S |

Wheel Sets (In combination with Michelin or Pirelli high performance tyres, Completely assembled and balanced)

| | | |
|-------------|-------------|-------------------|
| 9,0 x 20 | 10,0 x 20 | |
| 245/35 R 20 | 285/30 R 20 | M.85.F2.90100R22R |
| 255/35 R 20 | 285/30 R 20 | M.85.F2.90100R23R |

Assembly per vehicle 85.00M

 **LeoNardo Exclusive Wheel “Nardo III”**

Very light three piece 20“ aluminum rim finished in sterling silver
Titanium screws and outer liHP in polished high gloss stainless steel
Effectively fill out the wheel arches giving a fuller and wider appearance
Quality made in Germany



| <i>Front Axle</i> | <i>Rear Axle</i> | <i>Order-No.</i> |
|-------------------|------------------|------------------|
| 8,5 x 20 | | M.80.NA3.08520S |
| | 10,5 x 20 | M.80.NA3.10520S |

Wheel Sets (In combination with Michelin or Pirelli high performance tyres, Completely assembled and balanced)

| | | |
|-------------|-------------|--------------------|
| 8,5 x 20 | 10,5 x 20 | |
| 245/35 R 20 | 285/30 R 20 | M.85.NA3.85105R22R |
| 255/35 R 20 | 285/30 R 20 | M.85.NA3.85105R23R |

Assembly per vehicle 85.00M

 **Suspension Kit**

*Distinctive increment of driving stability
Improved handling with extremely high traction limits
A Leo Nardo exclusive development*

| Specification | Model | Order-No. |
|---|---------------------------|----------------------------|
| Suspension Kit | up to 08/05 from 08/05 | M.15.Q2.01Q M.15.Q2.02Q |
| 4 Sports Springs & 4 Sports Shock Absorbers Height adjustable form 20-50mm of the FA Height adjustable form 15-45mm of the RA | | |
| <i>Assembly incl. electronic suspension alignment</i> | | M.15.Q2.01/02M |

 **Sport Brake Kit**

*For upgrade of original Brake
Highly improved braking power
Exact pressure sensitivity*



| Specification | Order-No. |
|--|-------------------------------|
| 1 Set Sport Brake Pads <i>Assembly inkl. High Performance Brake Fluid</i> | M.30.Q2.10T M.30.Q2.10M |
| 1 Set Sport Brake Pads for Front Axle | M.30.Q2.11T |
| 1 Set Sport Brake Pads for Rear Axle <i>Assembly / Axle</i> | M.30.Q2.12T M.30.Q2.11/12M |
| Set Steel Flex Hoses for Front Axle | M.30.Q2.13S |
| Set Steel Flex Hoses for Rear Axle | M.30.Q2.14S |
| <i>Assembly inkl. High Performance Brake Fluid</i> | M.30.Q2.13/14M |

 **Sport Exhaust**

*2 Sport Exhaust rear mufflers, left + right Handmade from stainless steel,
Increased performance about 8 HP by Power increment through substantial dynamic pressure reduction
Irresistible sound, optimized heat diversion providing improved thermal engine conditions*

| Specification | Order-No. |
|---|----------------------------------|
| 2 x 2 Tail Pipes left + right round Ø 90 x 90 <i>Assembly</i> | M.20.Q2.01 M.20.Q2.01M |

Engine Tuning Complete Kits

For Quattroporte prerequisite for output quotation is always the full availability of nominal stock power of 294KW / 400HP
Highest quality standards, durability tested on race track

| Motor Increment | Modifikation | Order-No. |
|---|---|----------------------------|
| Step 1 - 316 kW / 430 HP Power Increment:22 kW/30 HP max. Torque 475 Nm max. RPM 7400 U/min <i>Assembly</i> | Sports exhaust system, modifikation of motronic (ECU), sports air filter | M.50.Q2.10S M.50.Q2.01M |
| Step 2 - 323 kW / 440 HP Power Increment:29 kW/40 HP max. Torque 478 Nm max. RPM 7400 U/min <i>Assembly</i> | Sports exhaust system, modifikation of motronic (ECU), sports air filter, patented Fuel Cooling System | M.50.Q2.11S M.50.Q2.02M |
| Step 3 - 330 kW / 450 HP Power Increment:36 kW/50 HP max. Torque 485 Nm max. RPM 7400 U/min <i>Assembly</i> | Sports exhaust system, Modifikation of motronic (ECU), sports air filter, patented Fuel Cooling System, modifikation the valve timing at the camshaft | M.50.Q2.12S M.50.Q2.03M |
| Step 4 - 382 kW / 520 HP Power Increment:88 kW/120 HP max. Torque 650 Nm max. RPM 7600 U/min <i>Assembly</i> | Increased ccm up to 4,7 L., on high flow canal bench optimized cylinder head, ball polished connection rods, modified valves, weight reduced crank shaft, sports camshafts, sports exhaust system, sports catalysers, modifikation of motronic (ECU), sports air filter, patented Fuel Cooling System | M.50.Q2.04S M.50.Q2.04M |

Engine Tuning Single Components

For Quattroporte prerequisite for output quotation is always the full availability of nominal stock power of 294KW / 400HP

| Specification | Order-No. |
|---|----------------------------|
| Modifikation of motronic (ECU) Power Increment 15 kW / 20 HP Speed up about 400 U/min <i>Assembly</i> | M.50.Q2.01S M.50.Q2.10M |
| Fuel Cooling System Only in combination with ECU modification Power Increment 7,5 kW / 10 HP <i>Assembly</i> | M.50.Q2.02S M.50.Q2.11M |
| Sport Airfilters - 2 Pcs. Power Increment 2 kW / 4 HP <i>Assembly</i> | M.50.Q2.03T M.50.Q2.12M |

 **Velour Carpets**

*Finest handcrafted velour quality with anti slip backside
Tasteful finish with piping in nubuk leather
Upon request fitted with Leo Nardo emblem*



| Base Colour | Piping | Order-No. |
|--|---------------------------------|------------------|
| Carpet Set in Matching Interior Colour | As base colour or special order | M.95.Q2.01V |
| Carpet Set with | leather piping | M.95.Q2.02V |



Dimex Automotive Group
Fritz-Haber-Strasse 3
D-65203 Wiesbaden
Germany

Tel +49 (611) 505606-0
Fax +49 (611) 505606-99
Mail info@dimex-group.com
Net www.dimex-group.com

Terms and Conditions

All prices are plus shipping and packing. All goods are ex-warehouse and bills are to be settled by cash on delivery or paid in advance. All deliveries are subject to our General Business Conditions. With the publication of this list all previous lists become invalid. All mistakes reserved, prices and technical specifications can be changed. Duplication prohibited without written permit.

Validity: January 2007

© 2007. All Rights Reserved. Royal Excellence - Dimex Automotive Group GmbH