

ROYAL EXCELLENCE
PRODUCT LIST





Product List Aston Martin V8 Vantage

Content

Aerodynamics

Design

Aluminium Rims

Wheel Sets

Spacers

Performance Components

Sports Exhaust

Engine Tuning

Engine Compartment

Interior Components



DIMEX Aerodynamics

Carbon Super Light Weight / Epoxyd Light Weight

- All parts hand made from carbon fibre, finished in transparent high gloss polished or dull surfaces
- Optional in PUR/RIM to be painted color matching
- Sportive, individual and fine looks
- Improved aerodynamics, specially increased down force
- Manufactured after highest quality standards and characterized through exact fitting

Specification

Order-No.

PUR/RIM front skirt

Assembly & Paintwork

A.70.V8.E01S

A.70.V8.01M

PUR/RIM rear skirt

Assembly & Paintwork

A.70.V8.E02S

A.70.V8.02M

PUR/RIM side skirts R+L

Assembly & Paintwork

A.70.V8.E03S

A.70.V8.03M

Carbon rear spoiler

Assembly

A.70.V8.04S

A.70.V8.04M

PUR/RIM rear spoiler

Assembly & Paintwork

A.70.V8.E04S

A.70.VAN.E04M

Carbon front spoiler lip

Assembly

A.70.V8.05S

A.70.V8.05M

Carbon rear diffuser

Assembly

A.70.V8.06S

A.70.V8.06M

DIMEX Design

Chrome Accessories & Light Upgrades

- Front grill in chrome

Specification

Order-No.

Chrome front grill

Assembly

A.75.V8.01

A.75.V8.01M

Carbon insert frame

for rear lights

Assembly

A.75.V8.02

A.75.V8.02M

Flash lights

for the front fender L+R

Black

White

A.75.V8.S03

A.75.V8.W03

Assembly

A.75.V8.03M

DIMEX Engine Compartment Parts

Carbon Application

- High quality carbon optical upgrade

Specification

Order-No.

Carbon engine compartment cover

Assembly

A.24.V8.01R

A.24.V8.01M

DIMEX Aluminium Rims

Exclusive Rim "Windsor"

- Two-piece aluminium rim in 20"
- Wheel barrels fully chromed
- Effectively fill out the wheel arches providing a fuller and wider appearance
- Premium Quality made by Dimex



	Front axle	Rear axle	Order-No.
Silver	9,0 x 20		A.80.W.09020S
		10,0 x 20	A.80.W.10020S
Black	9,0 x 20		A.80.WS.09020S
		10,0 x 20	A.80.WS.10020S
Chrome	9,0 x 20		A.80.WC.09020S
		10,0 x 20	A.80.WC.10020S
Silver	9,0 x 21		A.80.W.09021S
		10,0 x 21	A.80.W.10021S
Black	9,0 x 21		A.80.WS.09021S
		10,0 x 21	A.80.WS.10021S
Chrome	9,0 x 21		A.80.WC.09021S
		10,0 x 21	A.80.WC.10021S

Wheel Set "Windsor"

	Front axle	Rear axle	Order-No.
Silver	9,0 x 20	10,0 x 20	
	mit 245/30 R 20	mit 285/25 R 20	A.85.W.9010R20R
Black	9,0 x 20	10,0 x 20	
	mit 245/30 R 20	mit 285/25 R 20	A.85.WS.9010R20R
Chrome	9,0 x 20	10,0 x 20	
	mit 245/30 R 20	mit 285/25 R 20	A.85.WC.9010R20R
Silver	9,0 x 21	10,0 x 21	
	mit 255/30 R 21	mit 295/30 R 21	A.85.W.9010R21R
Black	9,0 x 21	10,0 x 21	
	mit 255/30 R 21	mit 295/30 R 21	A.85.WS.9010R21R
Chrome	9,0 x 21	10,0 x 21	
	mit 255/30 R 21	mit 295/30 R 21	A.85.WC.9010R21R
<i>Assembly per vehicle</i>			<i>85.00M</i>

DIMEX Aluminium Rims

Exclusive Rim "Goodwood"

- Two-piece aluminium rim in 20"
- Wheel barrels fully chromed
- Effectively fill out the wheel arches providing a fuller and wider appearance
- Premium Quality made by Dimex



	Front axle	Rear axle	Order-No.
Silver	9,0 x 20		A.80.G.09020S
		10,0 x 20	A.80.G.10020S
Black	9,0 x 20		A.80.GS.09020S
		10,0 x 20	A.80.GS.10020S
Chrome	9,0 x 20		A.80.GC.09020S
		10,0 x 20	A.80.GC.10020S
Silver	9,0 x 21		A.80.G.09021S
		10,0 x 21	A.80.G.10021S
Black	9,0 x 21		A.80.GS.09021S
		10,0 x 21	A.80.GS.10021S
Chrome	9,0 x 21		A.80.GC.09021S
		10,0 x 21	A.80.GC.10021S

Wheel Set "Goodwood"

	Front axle	Rear axle	Order-No.
Silver	9,0 x 20 mit 245/30 R 20	10,0 x 20 mit 285/25 R 20	A.85.G.9010R20R
Black	9,0 x 20 mit 245/30 R 20	10,0 x 20 mit 285/25 R 20	A.85.GS.9010R20R
Chrome	9,0 x 20 mit 245/30 R 20	10,0 x 20 mit 285/25 R 20	A.85.GC.9010R20R
Silver	9,0 x 21 mit 255/30 R 21	10,0 x 21 mit 295/30 R 21	A.85.G.9010R21R
Black	9,0 x 21 mit 255/30 R 21	10,0 x 21 mit 295/30 R 21	A.85.GS.9010R21R
Chrome	9,0 x 21 mit 255/30 R 21	10,0 x 21 mit 295/30 R 21	A.85.GC.9010R21R
<i>Assembly per vehicle</i>			<i>85.00M</i>

DIMEX Aluminium Rims

Exclusive Rim "Brooklands II"

- Two-piece aluminium rim in 20"
- Titanium screws and high gloss outer lip
- Effectively fill out the wheel arches providing a fuller and wider appearance
- Quality made in Germany



	Front axle	Rear axle	Order-No.
Silver	9,0 x 20		A.80.B2.09020S
		10,0 x 20	A.80.B2.10020S
Black	9,0 x 20		A.80.B2S.09020S
		10,0 x 20	A.80.B2S.10020S

Wheel Set "Brooklands II"

	Front axle	Rear axle	Order-No.
Silver	9,0 x 20 mit 245/30 R 20	10,0 x 20 mit 285/25 R 20	A.85.B2.9010R20R
			<i>Assembly (per vehicle)</i>
Black	9,0 x 20 mit 245/30 R 20	10,0 x 20 mit 285/25 R 20	A.85.B2S.9010R20R
			<i>Assembly (per vehicle)</i>

Exclusive Rim "Coventry II"

- Two-piece aluminium rim in 20"
- Titanium screws and high gloss outer lip
- Effectively fill out the wheel arches providing a fuller and wider appearance
- Quality made in Germany



	Front axle	Rear axle	Order-No.
Silver	9,0 x 20		A.80.CO2.09020S
		10,0 x 20	A.80.CO2.10020S
Black	9,0 x 20		A.80.CO2S.09020S
		10,0 x 20	A.80.CO2S.10020S

Wheel Set "Coventry II"

	Front axle	Rear axle	Order-No.
Silver	9,0 x 20 with 245/30 R 20	10,0 x 20 with 285/25 R 20	A.85.CO2.9010R23R
			<i>Assembly (per vehicle)</i>
Black	9,0 x 20 mit 245/30 R 20	10,0 x 20 mit 285/25 R 20	A.85.CO2S.9010R23R
			<i>Assembly (per vehicle)</i>

DIMEX Spacers

High Quality Aluminium

- Strikingly attractive and sportive looks
- Highly improves general performance and handling
- All spacer sets enclose 10 mounting nuts



mm/wheel front axle	mm/wheel rear axle	mm/axle	Order-No.
12		24	40.2780T
	12	24	40.2780T
<i>Assembly (per axle)</i>			40.02M

DIMEX Sport Springs

Effective Chassis Lowering

- Distinctive increment of driving stability
- Improved handing with higher traction limits

Specification	Order-No.
Sport Springs Drop of ca. 30mm on the FA Drop of ca. 30mm on the RA	A.10.V8.01S
<i>Assembly (per vehicle)</i>	A.10.V8.01M

DIMEX Exhaust System

Specification	Order-No.
Stainless Steel Exhaust System	A.20.V8.01S
<i>Assembly</i>	A.20.V8.01M

DIMEX Sport Catalysts

Race Aproved Equipment

- Significant increment of performance, forceful sound
- Extremely heat resistant

Specification	Order-No.
Sports-metall-catalysts (in parts exchange) 2 x 200 cells	A.25.V8.01S
<i>Assembly</i>	A.25.V8.01M

DIMEX Engine Tuning

Engine Tuning Kits for V8 Vantage 4,3 L

- Approved reliability
- Basis is nominal output of 283 kW/ 385 HP - 410 Nm / 5.000 RPM

Nominal Output*	Specification	Order-No.
Step 1 - 298 kW / 405 HP		
<i>Increment of: 18 kW / 24 HP</i> <i>Max. torque: 417 Nm</i>	Modification of ECU, sport air filters	A.50.V8.10S
<i>Assembly</i>		A.50.V8.01M
Step 2 – 315 kW / 428 HP		
<i>Increment of: 32 kW / 43 HP</i> <i>Max. torque: 423 Nm</i>	Modification of ECU, sport air filters incl. optimized air intake, sports-catalysts	A.50.V8.11S
<i>Assembly</i>		A.50.V8.02M
Step 3 - 320 kW / 436 HP		
<i>Increment of: 37 kW / 51 HP</i> <i>Max. torque : 428 Nm</i>	Modification of ECU, sport air filters incl. optimized air intake, patented fuel cooling system, sports-catalysts	A.50.V8.12S
<i>Assembly</i>		A.50.V8.03M
Step 4 - 328 kW / 446 HP		
<i>Increment of: 45 kW / 61 HP</i> <i>Max. torque : 456 Nm</i>	Modification of ECU, sport air filters incl. optimized air intake, patented fuel cooling system, sports-catalysts, stainless steel exhaust system	A.50.V8.13S
<i>Assembly</i>		A.50.V8.04M
Step 5 - 349 kW / 475 HP		
<i>Increment of: 66 kW / 90 HP</i> <i>Max. torque : 456 Nm</i>	Modification of ECU, sport air filters incl. optimized air intake, patented fuel cooling system, sports-catalysts, stainless steel exhaust system, high flow canal optimized and polished cylinder head, modified valves, modified intake ports ball polished connection rods, sport cam shaft, optimized intake manifold, weight reduced crank shaft,	A.50.V8.14S
<i>Assembly</i>		A.50.V8.05M

* Prerequisite is full nominal output.

DIMEX Engine Tuning

Engine Tuning Kits for V8 Vantage 4,7 L from model year 2009

- Approved reliability
- Basis is nominal output of 313 kW/ 426 HP - 470 Nm / 5.750 RPM

Nominal Output*	Specification	Order-No.
Step 1 - 331 kW / 450 HP		
<i>Increment of: 18 kW / 24 HP</i> <i>Max. torque: 477 Nm</i>	Modification of ECU, sport air filters	A.50.V8.20S
<i>Assembly</i>		A.50.V8.01M
Step 2 – 345 kW / 469 HP		
<i>Increment of: 32 kW / 43 HP</i> <i>Max. torque: 483 Nm</i>	Modification of ECU, sport air filters incl. optimized air intake, sports-catalysts	A.50.V8.21S
<i>Assembly</i>		A.50.V8.02M
Step 3 - 350 kW / 477 HP		
<i>Increment of: 37 kW / 51 HP</i> <i>Max. torque : 488 Nm</i>	Modification of ECU, sport air filters incl. optimized air intake, patented fuel cooling system, sports-catalysts	A.50.V8.22S
<i>Assembly</i>		A.50.V8.03M
Step 4 - 358 kW / 487 HP		
<i>Increment of: 45 kW / 61 HP</i> <i>Max. torque : 516 Nm</i>	Modification of ECU, sport air filters incl. optimized air intake, patented fuel cooling system, sports-catalysts, stainless steel exhaust system	A.50.V8.23S
<i>Assembly</i>		A.50.V8.04M
Step 5 - 379 kW / 516 HP		
<i>Increment of: 66 kW / 90 HP</i> <i>Max. torque : 516 Nm</i>	Modification of ECU, sport air filters incl. optimized air intake, patented fuel cooling system, sports-catalysts, stainless steel exhaust system, high flow canal optimized and polished cylinder head, modified valves, modified intake ports ball polished connection rods, sport cam shaft, optimized intake manifold, weight reduced crank shaft,	A.50.V8.24S
<i>Assembly</i>		A.50.V8.05M

* Prerequisite is full nominal output.

DIMEX Engine Tuning Components

Specification

Order-No.

sport air filters

Increment approx. kW / HP

A.50.V8.01R

Assembly

A.50.V8.10M

ECU modification

Increment approx. kW / HP

A.50.V8.02R

Assembly

A.50.V8.11M

patented fuel cooling system

only in combination with ECU modification

Increment approx. kW / HP

A.50.V8.03R

Assembly

A.50.V8.12M

DIMEX Interior Components

Custom Tailored Interiors

Specification

Order-No.

Custom made interior, seats, dash, door panels, roof lining, floor, carpets, in leather, alcantara, material mix, with carbon, wood or aluminium applications.

A.97.V8.00

DIMEX Interior Components

Velour Carpets

- 2 pieces Set
- Finest velour quality with piping out of nubuk leather
- Tasteful handcrafted finish
- Non slippery

Specification

Order-No.

Carpet-Set 2-pieces *

A.95.V8.01T

* Please add the requested color combination to your order





Dimex Automotive Group

Fritz-Haber-Strasse 3
D-65203 Wiesbaden
Germany

Tel +49 (611) 505606-0

Fax +49 (611) 505606-99

Mail info@dimex-group.com

Web www.dimex-group.com



Terms and Conditions

All prices are plus shipping and packing. All goods are ex-warehouse and bills are to be settled by cash on delivery or paid in advance. All deliveries are subject to our General Business Conditions. With the publication of this list all previous lists become invalid. All mistakes reserved, prices and technical specifications can be changed. Duplication prohibited without written permit.